



We hold a very large stock of panels and most standard products can be delivered within 48 hours. ZND has supplied our panels to some of the largest events in the world including London 2012 Olympic Games and Sochi 2014 Winter Olympic Games.

We are committed to finding ways to improve our existing products and services and strive to offer products that provide better performance, strength and safety, whilst controlling costs to offer our customers the best possible value.

Fresh thinking helps us to create new products and bring more choice into the markets we serve.

Please do not hesitate to get in touch with us if you have any questions about our service or products.

ZNDCE

Distributor details:

Members of ZNDGROUP:

ZNDCE Sp. Z o.o

Ul. Glogowska 35b
45-315 Opole
Poland
T: +48 (0)77 401 90 18
F: +48 (0)77 457 77 05
E: biuro@zndce.com

ZNDUK Limited

T: +44 (0)1709 521100
F: +44 (0)1709 521111
E: sales@znduk.com

ZNDNL bv

T: +31 (0)40 201 4812
F: +31 (0)40 201 4831
E: sales@zndnl.com

ZNDDE

T: +49 (0)2102 420800
F: +49 (0)2102 420900
E: info@zndde.com


ZNDFR

T: +33 (0)2995 55035
F: +33 (0)2995 53733
E: sales@zndfr.com



Stronger
Safer
Smarter!





Contents:

Temporary Fences	04
Temporary Fence Gates	10
Temporary Fence Stillages	12
Temporary Hoarding	14
Hoarding Stillages	16
Temporary Hoarding Gates	17
Temporary Barriers	18
Temporary Barrier Gates	21
Temporary Barrier Stillages	22
Hot Dip Galvanised	23
Stabiliser Systems	24
Stabiliser Accessories	25
Events Systems	26
Police Barrier	27
Stage Barrier	28
Accessories	29
Accessoires	30
Netting and Covers	33



Meeting the toughest demands

Innovative solutions from Europe's largest manufacturer of **temporary fencing** and **pedestrian barriers**.

Since 1997 we have built a solid reputation across Europe as the market leader in the manufacture and supply of high quality temporary fencing, hoarding and pedestrian barriers.

By putting innovation at the core of everything we do, we were the first to offer the 'Smartweld' manufacturing technique to the market.

We create the strongest, safest and smartest products on the market by continuously investing in new and improved manufacturing techniques, better and more rigorous testing and a firm commitment to research and design.

Our commitment to CE manufacturing enables us to maintain high quality and fast delivery when you need it most.



Temporary Fence Ranges

ST25

ST30

ST30 with additional tube

RT38

Modular mesh temporary fencing has proved to be extremely popular with our customers in the construction and event management industries for site demarcation, to direct the public away from construction hazards or towards secure areas.


Since 1997 we have specialised in the manufacturing and continual development of the Smartweld™ temporary fencing, creating a comprehensive range of panels, designed and manufactured to high standards.

All our temporary fencing panels are manufactured in our highly efficient state-of-the-art manufacturing techniques where we are able to produce more than 1500 fences a day in over 30 different specifications.

- We offer a wide variety of specification options with a choice of:
 - Frame styles
 - Mesh types
 - Wire diameters
 - Corporate identity labels
 - Surface finishes

We offer a comprehensive range of panels, manufactured to the highest possible standards, made to order and delivered directly to your site so you can be confident that we can meet all site situations and local health and safety requirements.

- We have an extensive range of accessories to complement our panel systems including:
 - Thermo-plastic and concrete bases
 - Standard and lockable fence couplers
 - Pedestrian and vehicle gates
 - Height extension panels
 - Stabilising systems



Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Fence Panel Ranges

Our fence panels are split into two different series. The Square Top (ST) and the Round Top (RT).

Examples

Product Range	Mesh Type	Options
ST30	Standard	CP
RT38	Anticlimb	3V
ST30	Euro	220

1 Frame Styles

ST



ST25:

Horizontal tube diameter: 25mm

Vertical tube diameter: 38mm

ST30:

Horizontal tube diameter: 30mm

Vertical tube diameter: 40mm

RT



RT38:

Horizontal tube diameter: 38mm

Vertical tube diameter: 38mm

2 Mesh Types

Standard



Vertical Pitch: 100mm

Vertical Wire Diameter: ø2.2

Horizontal Pitch: 262mm

Horizontal Wire Diameter: ø3.2

Euro



Vertical Pitch: 100mm

Vertical Wire Diameter: ø3.2

Horizontal Pitch: 262mm

Horizontal Wire Diameter: ø3.2

Anticlimb



Vertical Pitch: 43mm

Vertical Wire Diameter: ø2.2

Horizontal Pitch: 262mm


Horizontal Wire Diameter: ø3.2

3 Options



Special Length

Some panels are available in differing lengths. We can also create bespoke special lengths for your requirements.



CP

Adding corner plates increases the strength of the panel joint where they are used.



3V

These options can add either a vertical or horizontal tube into the centre of the panel.

3H

Now you are ready to order your fence panel, pick a frame type, select which mesh you want and choose from the optional extras to improve the panel quality.

ST25

Our ST25 range has horizontal tube diameters of 25mm and vertical tube diameters of 38mm and consists of both Standard and Anticlimb panels with the option of a corner plate.



Illustration shows ST 25 Anticlimb CP

ST30

Our ST30 range has horizontal tube diameters of 30mm and 40mm vertical tube diameters and consists of Standard and Anticlimb panels with the options of corner plates.



Illustration shows ST 30 Euro CP 3H

Frame	Old name	Dimension (mm)	Weight (kg)	Stock Code
ST25 Standard	Przesło Promo	3450 x 2025	11.2	10201
ST25 Standard CP	Przesło Promo CP	3450 x 2025	11.7	10201 CP
ST25 Euro	Przesło Standard Light	3450 x 2025	13.0	10213
ST25 Euro CP	Przesło Standard Light CP	3450 x 2025	13.5	10213 CP
ST25 Anticlimb		3450 x 2025	13.6	10202
ST25 Anticlimb CP		3450 x 2025	14.1	10202 CP

Please refer to the guide on page 5 for more information on fence types.

Frame	Old name	Dimension (mm)	Weight (kg)	Stock Code
ST30 Euro	Przesło Euro-2	3452 x 2025	15.0	10212
ST30 Euro CP	Przesło Euro-2 CP	3452 x 2025	15.5	10212 CP
ST30 Anticlimb		3452 x 2025	15.4	10211
ST30 Anticlimb CP		3452 x 2025	15.9	10211 CP
ST30 Euro 220	Przesło wyrównawcze	2195 x 2025	11.2	10209
ST30 Euro 220 CP	Przesło wyrównawcze CP	2195 x 2025	11.7	10209 CP

Please refer to the guide on page 5 for more information on fence types.

ST30 with additional tube

Our ST30 range has horizontal tube diameters of 30mm and 40mm vertical tube diameters and consists of Standard and Anticlimb panels with the options of corner plates, vertical and horizontal centre tubes.



Illustration shows ST 38 Anticlimb CP 3V

RT38 Round-Top

Our RT38 range has all tubes of 38mm diameter and consists of Standard, Euro and Anticlimb panels with the options of horizontal and vertical centre tubes. Corner plates fitted as standard on Round Top panels.



Illustration shows RT 38 Anticlimb 3V

Frame	Old name	Dimension	Weight	Stock Code
ST30 Euro 3V	Przesło Euro-3/P	3452 x 2025	16.5	10203
ST30 Euro CP 3V	Przesło Euro-3/P CP	3452 x 2025	17.0	10203 CP
ST30 Euro 3H	Przesło Euro-3 (pozioma)	3452 x 2025	17.4	10204
ST30 Euro CP 3H	Przesło Euro-3 (pozioma) CP	3452 x 2025	17.9	10204 CP
ST30 Anticlimb 3V	Przesło Euro-3/P Anticlimb	3452 x 2025	16.9	10207
ST30 Anticlimb CP 3V	Przesło Euro-3/P Anticlimb CP	3452 x 2025	17.4	10207 CP
ST30 Anticlimb 3H	Przesło Euro-3 Anticlimb	3452 x 2025	17.8	10208
ST30 Anticlimb CP 3H	Przesło Euro-3 Anticlimb CP	3452 x 2025	18.3	10208 CP
ST30 Euro 220 3H	Przesło wyrównawcze Euro 2/3	2195 x 2025	12.7	10222
ST30 Euro 220 CP 3H	Przesło wyrównawcze CP Euro 2/3	2195 x 2025	13.2	10222 CP

Please refer to the guide on page 5 for more information on fence types.

Frame	Old name	Dimension	Weight	Stock Code
RT38 Standard		3450 x 2000	13.4	10224
RT38 Standard 3V		3450 x 2000	15	10225
RT38 Standard 3H		3450 x 2000	16.5	10226
RT38 Euro	Przesło Round Top Std	3450 x 2000	15.4	10215
RT38 Euro 3V	Przesło Round Top Std (pionowa)	3450 x 2000	17	10216
RT38 Euro 3H	Przesło Round Top Std (pozioma)	3450 x 2000	18.4	10217
RT38 Anticlimb	Przesło Round Top Anticlimb	3450 x 2000	15.9	10215 AC
RT38 Anticlimb 3V	Przesło Round Top (pionowa) Anticlimb	3450 x 2000	17.5	10216 AC
RT38 Anticlimb 3H	Przesło Round Top (pozioma) Anticlimb	3450 x 2000	19	10217 AC

Please refer to the guide on page 5 for more information on fence types.

Temporary Fences: Gates




Temporary Fences: Gates



Pedestrian Gate Round Top
Code: 10104
Dimension: L: 1151mm x H: 2000mm
Weight: 13.3kg
Finish: Pre Galvanised



Euro Pedestrian Gate No Latch
Code: 10107
Dimension: L: 1180mm x H: 2025mm
Weight: 8.3kg
Finish: Pre Galvanised



Euro Pedestrian Gate With Latch
Code: 10103
Dimension: L: 1264mm x H: 2025mm
Weight: 13.5kg
Finish: Pre Galvanised



Vehicle Gate Square Top
Code: 10101
Dimension: L: 4400mm x H: 2025mm
Weight: 32.5kg
Finish: Pre Galvanised

Vehicle Gate Square Top
Code: 10112
Dimension: L: 6912mm x H: 2025mm
Weight: 45.7kg
Finish: Pre Galvanised

Temporary Fences: Stillages




Temporary Fences: Stillages




Transport Pallet 30
Code: 20027
Weight: 95.5kg
Finish: Post Galvanised

Transport Pallet 30 2.2m
Code: 20027 Z
Weight: 77.2kg
Finish: Post Galvanised



Square Top Configuration

Universal Fence Panel Stillage
Code: 20060
Weight: 204Kg
Finish: Post Galvanised




The Transport Block Pallet can carry Transport Pallet TP30 with blocks.

Transport Block Pallet
Code: 20025
Weight: 159Kg
Finish: Post Galvanised




Transport Pallet KP30
Code: 20069
Weight: 168.4Kg
Finish: Post Galvanised

Spreader bars must be used when double stacking transport pallet 30/26 full stillages.



Transport Pallet 30 Spreader Bar
Code: 20064
Weight: 7.5kg
Finish: Pre Galvanised



Temporary Hoarding



We offer a range of both temporary and semi-permanent hoarding options.

Made from steel to ensure strength and durability all of our hoarding products combine quality with a cost-effective solution.

All our hoarding panels can be assembled and dismantled rapidly without the need for specialist tools or skills. Each panel has a galvanised finish as standard and can be customised by colouring with a polyester powder coated finish or adding stripes and decals that can be printed in our in-house print shop.

For your safety and peace of mind, we have a selection of stabilising options to withstand the worst weather conditions and an extensive range of accessories to complement our hoarding system including:

- Vehicle and pedestrian gates
- View panels
- Height extension panels
- Privacy infill panels

Contact us for more information about our bespoke hoarding panels to order.



Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Temporary Hoarding: Panels

All our Temporary Hoarding panels offer both strength and durability to meet the rigours of construction site use and are complimented with a range of accessories.



Frame	Dimension	Weight (kg)	Finish	Stock Code
2.3m Hoarding Panel (0.5)	2350 x 2025	25.3	Pre-Galvanised	10206
2.9m Hoarding Panel (0.5)	2900 x 2025	32.0	Pre-Galvanised	10218
2.3m City Panel (Half hoarding/Half mesh)	2350 x 2025	21.8	Pre-Galvanised	10108

Temporary Hoarding: Panels



2.3m Hoarding Panel (0.5) 1.0m
Code: 10205

Dimension: H:1000mm x W:2350mm

Weight: 15.2kg

Finish: Pre Galvanised

Temporary Hoarding: Pedestrian and Vehicle Gates




Hoarding Pedestrian Gate
Code: 10106

Dimension: H: 2000mm x B: 1118mm

Weight: 19kg

Finish: Pre Galvanised



2.3m Hoarding Panel (0.5)
Code: 10206

Dimension: H: 2000mm x B: 2350mm

Weight: 25.3kg

Finish: Pre Galvanised



Steel Hoard Panel (0.5) Half Mesh
Code: 10108

Dimension: H:2000mm x W:2350mm

Weight: 21.75kg

Finish: Pre Galvanised




Hoarding Stillage
Code: 20061

Weight: 150kg

Finish: Self Coloured

Capacity: 30no. Panels



Hoarding Vehicle Gate Galvansied
Code: 10105

Dimension: H: 1980mm x B: 4314mm

Weight: 53.5kg

Finish: Pre Galvanised



Temporary Barriers

- Fixed Leg Barrier
- Bar Barrier
- Mesh Barrier

Our pedestrian barriers are available in a range of different options, all designed for effective demarcation and crowd control. With robust tubular steel frames, designed safety features combined with our rigorous testing for our barriers give you the quality and reliability you need.

With a choice of vertical infill tubes or welded mesh, inbuilt or detachable feet, and a high quality galvanised appearance that can be coloured to match your corporate image, we have plenty of options to ensure you're getting the right barrier for the job.

Our most popular barriers are the Smartweld™ Pedestrian Barrier range which feature:

Fixed legs are welded to the frame in an offset position making them ideal for stacking.

The fixed legs are further re-enforced with a **patented** support brace which triangulates the front and rear footing adding strength and protection.

Mig Braze welding is used for extra strength and durability and a better long term appearance.

The Euro Mesh Pedestrian Barrier is our most economical form of low-level protection. The lightweight barrier is 3.5 metres in length and has a welded mesh infill making it a popular choice for construction site use.

All our Barriers can be enhanced with a range of accessories such as corporate labels and advertising covers.

Contact us for more information about our bespoke barrier panels to order.



Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Smartweld Fixed Leg Barrier

The fixed leg barrier is our most popular barrier product due to its one piece construction that incorporates an integral ssaadjkhasjkdhsa system and fixed legs.



Smartweld barriers are constructed using the latest braze welding technology that offers improved strength and resistance to corrosion.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (kg)	Stock Code
Fixed Leg Barrier 2.3 Pre-galva	1100 x 2270	38.1	12 mm Tube 112mm Aperture	10.7	10700
Fixed Leg Barrier 2.5 Pre-galva	1100 x 2518	38.1	12 mm Tube 112mm Aperture	11.2	10800



Hook and Eye



Patented leg strengthening bar



Name plate for corporate logo



Reflective board

Smartweld Bar Barrier

The main feature of the Bar Barrier is that it can be used with a variety of feet including flat feet which reduce tripping hazards.



Smartweld barriers are constructed using the latest braze welding technology that offers improved strength and resistance to corrosion.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (kg)	Stock Code
Smartweld 2.3 Bar Barrier	1100 x 2262	38.1	12 mm Tube 112mm Aperture	9.2	20038
Smartweld 2.5 Bar Barrier	1100 x 2510	38.1	12 mm Tube 112mm Aperture	10.1	20056



Hook and Eye



Name plate for corporate logo



Double flat foot

ST30 Euro Barrier

Code: 10210 Z



Dimension:
L: 3452mm x H: 1200mm

Frame Ø:
40mm Vertical
30mm Horizontal

Weight:
10.8kg

Finish:
Pre-Galvanised



Plastic foot - Euro



Concrete




Flat foot



Coupler connected

Temporary Barriers: Gates



Fixed Leg (Walk Through) Barrier

Code: 10702

Weight: 12.9kg

Dimension: H: 2143mm x W: 2266mm

Frame diameter: 38.1mm

Finish: Pre Galvanised & Powder Coated



Fixed Leg (Walk Through c/w Gate) Barrier

Code: 10701

Weight: 18.7kg

Dimension: H: 2143mm x W: 2266mm

Frame diameter: 38.1mm

Finish: Pre Galvanised & Powder Coated

Pedestrian Barriers: Stillage



Barrier Stillage 25
 Code: 20059
 Weight: 58kg
 Finish: Self Coloured

Hot Dip Galvanised Products



HDG Top Light
 Code: 10301
 Dimension: H: 2025mm x W: 3465mm
 Wire/Tube: 2.8mm / 1.2mm
 Weight: 16.1kg
 Finish: Hot Dip Galvanised



HDG Top
 Code: 10300
 Dimension: H: 2025mm x W: 3465mm
 Wire/Tube: 4mm / 1.4mm
 Weight: 22.5kg
 Finish: Hot Dip Galvanised



Mannesmann Barrier
 Code: 10400
 Dimension: H: 1100mm x W: 2485mm
 Weight: 15.5kg
 Finish: Hot Dip Galvanised



Event Barrier 19 Bar
 Code: 10600
 Dimension: H: 1100mm x W: 2600mm
 Weight: 13.7kg
 Finish: Hot Dip Galvanised

Stabiliser Systems



Thanks to our wide array of stabilising products, assembling a run of fencing, hoarding and ensuring they stay up, whatever the weather, is now easy and straightforward.

Designed and developed for use in a range of environmental conditions, sites, surfaces and locations our stabilisers help you maintain the highest standards of health and safety.

To help ensure you get the correct stabilising system for your run of fences, hoarding or barriers we maintain a Customer Portal where our valued customers can access our assembly guides as well as our unique Wind Resistance Calculator which provides performance information on each and every stabilising option and panel, backed up by detailed structural calculations.

We are also available to provide advice and guidance for your particular site requirement.

Key to product categories

- F Fencing
- H Hoarding
- B Barriers

For details of kentledge blocks, couplers and anti-lift brackets used in the following stabiliser systems please see the Accessories section on page XX. Anti lift devices must be used in conjunction with all suggested stabilising methods.



Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Stabiliser Components



F
Fence Stabiliser
Code: 20004
Weight: 2.5kg
Finish: Pre Galvanised



F H
Zero-Trip Cranked Stabiliser
Code: 20065
Weight: 3kg
Finish: Pre Galvanised



F H
Zero-Trip Stabiliser Base
Code: 20066
Weight: 3.8kg
Finish: Electro Galvanised



F H
Hoarding Stabiliser
Code: 20067
Weight: 3.2kg
Finish: Pre Galvanised




F H
Euro Folding Stabiliser
Code: 20019 Z
Weight: 9.8Kg
Finish: Pre Galvanised



F
Euro Stabiliser
Code: 20004 Z
Weight: 3.9Kg
Finish: Pre Galvanised



F H
Ground Pin – Euro
Code: 20003 Z
Weight: 2.1kg
Finish: Electro Galvanised



F H B
Stabiliser Pin HD
Code: 20003 T
Weight: 0.45kg
Finish: Pre Galvanised



NEW
B
Stabiliser Euro 1 Plus
Code: 20004 P
Weight: 1.7kg
Finish: Pre Galvanised

Events Systems



We provide temporary fencing, hoarding and barriers for some of the biggest events in the calendar.


We're trusted by some amazing organisations, who rely on us to deal with the large unit manufacture and direct delivery to events for use at London 2012 Olympic Games and the 2014 Glasgow Commonwealth Games and Glastonbury to name a few.

Our specialist event products include cycle barriers and police barrier systems.

All our event systems are available fully manufactured, branded and delivered directly to your site.



Police Barrier Systems



Police Barrier 1.5m
Code: 20048

Dimension: H: 1065mm x
W: 1526mm x D: 705mm

Frame: 33.7mm diameter

Infill: 3.9mm dia Wire
50mm Aperture

Weight: 26kg

Finish: Post Galvanised



Police Barrier – Stillage
Code: 20062

Weight: 46kg

Finish: Post Galvanised

Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Police Barrier Systems



Police Barrier Collapsible
Code: 20049

Dimension: H: 1090mm x W: 2187mm x D: 1004mm

Frame dia: 33.7mm

Weight: 48.5kg


Finish: Post Galvanised



Police Barrier Collapsible Stillage
Code: 20063

Weight: 28kg

Finish: Post Galvanised




Stage Barrier
Code: 20057

Dimension: H: 1185mm x W: 1090mm

Weight: 62.5kg

Finish: Post Galvanised



Corner for Stage Barrier
Code: 20051

Dimension: H: 1185mm x W: 1081mm

Weight: 23.4kg

Finish: Post Galvanised

Accessories



Our accessories are designed and rigorously tested to work in harmony with our fencing, hoarding and barrier products and include:

- Fence feet
- Couplers
- Lights
- Spanners

The letter from the key below indicates the accessory most compatible with a product.

Key to product categories

- F** Fencing
- H** Hoarding
- B** Barriers

All of our accessories are designed to enhance our fencing, hoarding and barriers to not only make sure that they are safe but also secure.

We can also create bespoke accessories for all your needs. Please contact us for more information.



Many of ZND's products are protected by patents which can be found at www.znduk.com/patents

Accessories



F H B
Concrete Fence Foot – Euro
Code: 20007
Weight: 31kg
Finish: Self Coloured



F H B
Thermo-Plastic Foot Trapezium
Code: 20008
Weight: 16kg
Finish: Self Coloured



F H B
Thermo -Plastic Foot – Euro
Code: 20008 Z
Weight: 26kg
Finish: Self Coloured



F H B
Thermo -Plastic Foot (Std)
Code: 20070
Weight: 18kg
Finish: Self Coloured



F H B
Thermo-Plastic Foot – (Std) Hi Vis
Code: 20071
Weight: 18kg
Finish: Self Coloured



F H B
Thermo-Plastic Foot – (HD) Hi Vis
Code: 20072
Weight: 24kg
Finish: Self Coloured



F H B
Anti-lift Bracket – Euro
Code: 20015 Z
Weight: 1kg
Finish: Electro Galvanised



F H B
Anti-lift Bracket
Code: 20015 PVC
Weight: 0.4kg
Finish: Electro Galvanised



TBP 30
Code: 20025
Weight: 159kg
Finish: Post Galvanised


Accessories



F H B
Fence Coupler
Code: 20001 Z
Weight: 0.28kg
Finish: Pre Galvanised



F H B
Lockable Coupler – Euro
Code: 20021 Z
Weight: 0.3kg
Finish: Pre Galvanised



F H B
Heavy Duty Fence Coupler (Gripper)
Code: 20002
Weight: 0.4kg
Finish: Electro Galvanised



F H B
Heavy Duty Lockable Coupler (Griplock)
Code: 20050
Weight: 0.4kg
Finish: Electro Galvanised



F H B
Fence Coupler HD – Euro
Code: 20002 Z
Weight: 0.9kg
Finish: Post Galvanised



F H B
Coupler Spanner
Code: 20052
Weight: 0.5kg
Finish: Hard Chrome




F H B
Lockable Coupler Spanner Socket
Code: 20022 Z
Weight: 0.1kg
Finish: Hard Chrome



B
Double Metal Foot Female Galv
Code: 20039
Weight: 1.8kg
Finish: Electro Galvanised



F H B
Double Flat Foot Small – Euro
Code: 20033
Weight: 1.3kg
Finish: Electro Galvanised



F H B
Large Foot Plate – Euro
Code: 20068
Weight: 12.5Kg
Finish: Electro Galvanised



F H B
Ground Pin Double Tube Foot – Euro
Code: 20016 Z
Weight: 3kg
Finish: Electro Galvanised



F
Extension Panel standard
Code: 10500
Weight: 6.5kg
Finish: Pre Galvanised

Accessories




F
Gate Hinge Galv
Code: 20005 Z
Weight: 0.9kg
Finish: Electro Galvanised



F H
Panel Hook & Eye
Code: 20037
Weight: 0.11kg
Finish: Pre Galvanised



F H
Castor Assembly Large – Euro
Code: 20014 Z
Weight: 0.8kg
Finish: Electro Galvanised & Self Coloured



F H
Castor Wheel Assembly
Code: 20006
Weight: 0.5kg
Finish: Pre Galvanised & Self Coloured



F
Aluminium Fence Label
Several dimensions
Weight: 0.04kg
Finish: Printed




F
Plastic Fence Label
Several dimensions
Weight: 0.07kg
Finish: Printed




F
Reflective Fence Strip (PVC) 3.5m
Code: 20040
Weight: 0.5kg
Finish: Self Coloured



F B
Reflective Board (Metal) Red-White
Code: 20073
Weight: 2kg
Finish: Pre Galvanised



F H
Barbed Wire Extension (Square Panel)
Code: 20018 Z
Weight: 0.6kg
Finish: Pre Galvanised



F
Barbed Wire Extension (Round Top Panel)
Code: 20018
Weight: 0.5kg
Finish: Pre Galvanised



F
Barbed Wire Extension Y Shape
Code: 20017 Z
Weight: 1.4kg
Finish: Electro Galvanised



F
Gate Hinge Round-Top
Code: 20045
Weight: 0.6kg
Finish: Electro Galvanised

Accessories: Netting & Covers



- 1 Tennis Net Green
- 2 Fence Cover Green
- 3 Acoustic Fence Cover
- 4 Printed Barrier

FENCE COVERS			ACOUSTIC COVERS		
		WEIGHT			WEIGHT
20031	Fence Cover Black 3.5 x 1.76	1kg	Special	Acoustic Fence Cover 1.2 x 2.0	6kg
Special	Fence Cover Black 3.5 x 1.76 (FR)	1kg	Special	Acoustic Fence Cover 1.8 x 2.0	9kg
20032	Fence Cover White 3.5 x 1.76	1kg	Special	Acoustic Fence Cover 'S' Clip 13	73g
Special	Fence Cover White 3.5 x 1.76 (FR)	1kg	Special	Acoustic Fence Cover 'S' Clip 20	112g
20029	Fence Cover Blue 3.5 x 1.76	1kg	PRINTED BANNERS		
Special	Fence Cover Blue 3.5 x 1.76 (FR)	1kg	Special	Printed Banner Solid 3.5 x 1.8	2.7kg
20044	Fence Cover Green 3.5 x 1.76	1kg	Special	Printed Banner Mesh 3.5 x 1.8	2.4kg
Special	Fence Cover Green 3.5 x 1.76 (FR)	1kg	NETTING		
			20013	Tennis Net Green 3.5 x 1.8	1kg
			20013 Z	Tennis Net Green 50 x 1.8	13.5kg